Brain Research, 617 (1993) 357–359
Elsevier Science Publishers B.V.

Author Index

Abudara, V., see Monti-Bloch, L. (617) 147
Aguilera, P., see Monti-Bloch, L. (617) 147
Akaike, A., see Goshima, Y. (617) 167
Alford, M., see Masliah, E. (617) 258
Amico, J.A., see Bononi, P.L. (617) 50
Andre, P., Pompeiano, O. and White, S.R.
Activation of muscarinic receptors induces a long-lasting enhancement of purkinje cell responses to glutamate (617) 28
Angeletti, R.H., see Gee, P. (617) 238
Anwar, M., see Ruggiero, D.A. (617) 17
Ashby, C.R., see Edwards, E. (617) 113

Baldwin, D., see Zirpel, L. (617) 205
Basbaum, A.I., see Chi, S.-I. (617) 225
Basbaum, A.I., see Chi, S.-I. (617) 225
Bauco, P., Wang, Y. and Wise, R.A.
Lack of sensitization or tolerance to the facilitating effect of ventral tegmental area morphine on lateral hypothalamic brain stimulation reward (617) 303
Bononi, P.L., Janosky, J.E. and Amico, J.A.
The oxytocin secretory response during suckling in the hypoosmolar lactating rat (617) 50

Cerruti, C., Drian, M.-J., Kamenka, J.-M. and Privat, A.
Protection by BTCP of cultured dopaminergic neurons exposed to neurotoxins (617) 138
Chang, S.L., Ren, T. and Zadina, J.E.
Interleukin-1 activation of FOS protooncogene protein in the rat hypothalamus (617) 123
Chapman, C.A., see Hempel, C.M.E. (617) 329
Chapman, C.A., see Yeomans, J.S. (617) 309
Chau, L., see Ruggiero, D.A. (617) 17
Cheesman, H., see Werther, G.A. (617) 339
Chi, S.-I., Levine, J.D. and Basbaum, A.I.
Effects of injury discharge on the persistent expression of spinal cord fos-like immunoreactivity produced by sciatic nerve transection in the rat (617) 225
Chi, S.-I., Levine, J.D. and Basbaum, A.I.
Peripheral and central contributions to the persistent expression of spinal cord fos-like immunoreactivity produced by sciatic nerve transection in the rat (617) 225
Cochrane, K.A., see Yeomans, J.S. (617) 320
Corbett, J.A., see Schmidt, R.E. (617) 343

Daugé, V., see Derrien, M. (617) 181
Derrien, M., Durieux, C., Daugé, V. and Roques, B.P.
Involvement of D_2 dopaminergic receptors in the emotional and motivational responses induced by injection of CCK-8 in the posterior part of the rat nucleus accumbens (617) 181
DeTeresa, R., see Masliah, E. (617) 258
Deura, S., see Katoh, Y.Y. (617) 155
Dorsey, D.A., see Schmidt, R.E. (617) 343
Drasdo, A.L., see Sanderson, E.M. (617) 349
Drian, M.-J., see Cerruti, C. (617) 138
Dudley, M.W., see Sprouse, J.S. (617) 159
Dunwiddie, T.V., see Smith, D.A. (617) 61
Durieux, C., see Derrien, M. (617) 181

Edwards, E., Ashby, C.R. and Wang, R.Y.
Further characterization of 5-HT- and 5-HT_3 receptor agonists'-stimulated phosphoinositol phosphates accumulation (617) 113
Elisevich, K., see Mendez, I. (617) 274

Farwell, D.G., see Jansen, A.S.P. (617) 103
Florack, V.J., see Watt, C.B. (617) 131
Flumerfelt, B.A., see Mendez, I. (617) 274
Fricker, L.D., see Gee, P. (617) 238

Galea, L.A.M., see Saksida, L.M. (617) 214
Gee, P., Rhodes, C.H., Fricker, L.D. and Angeletti, R.H.
Expression of neuropeptide processing enzymes and neurosecretory proteins in ependyma and choroid plexus epithelium (617) 238
Getz, R., see Perry, D.C. (617) 296
Goda, S., see Yoshimura, T. (617) 55
Golanov, E.V., see Ruggiero, D.A. (617) 17
Goshima, Y., Ohno, K., Nakamura, S., Miyamae, T., Misu, Y. and Akaike, A.
L-DOPA induces Ca^{2+}-dependent and tetrodotoxin-sensitive release of endogenous glutamate from rat striatal slices (617) 167
Goto, I., see Yoshimura, T. (617) 55
Graubard, K., see Zirpel, L. (617) 205

Hamm, R.J., see Lyeth, B.G. (617) 69
Hansen, L., see Masliah, E. (617) 258
Hari, R., see Mäkelä, J.P. (617) 189
Hempel, C.M.E., Si-Shun, Z., Chapman, C.A. and Yeomans, J.S.
Crossed reticular formation connections that mediate the startle reflex in rats (617) 329
Hempel, C.M.E., see Yeomans, J.S. (617) 309
Hermann, A., see Kerschbaum, H.H. (617) 43
Herreras, O. and Somjen, G.G.
Effects of prolonged elevation of potassium on hippocampus of anesthetized rats (617) 194
Holtzman, S.G., see Levesque, D. (617) 176
Hung, B.C.P., Loo, D.D.F. and Wright, E.M.
Regulation of mouse choroid plexus apical Cl^- and K^+ channels by serotonin (617) 285

Ichikawa, H., Jacobowitz, D.M. and Sugimoto, T.
Calretinin-immunoreactive neurons in the trigeminal and dorsal root ganglia of the rat (617) 96
Izumi, F., see Kobayashi, H. (617) 163

Jacobowitz, D.M., see Ichikawa, H. (617) 96
Jacobson, C.D., see Pearson, P.L. (617) 171
Janosky, J.E., see Bononi, P.L. (617) 50
Jansen, A.S.P., Farwell, D.G. and Loewy, A.D.
Specificity of pseudorabies virus as a retrograde marker of sympathetic preganglionic neurons: implications for transneuronal labeling studies (617) 103
Jin, Y., Ueta, Y., Kannan, H. and Yamashita, H.
Synaptic inputs from the stomach to tuberoinfundibular neurons in the paraventricular nucleus of the hypothalamus in rats (617) 151

Kamenka, J.-M., see Cerruti, C. (617) 138
Kannan, H., see Jin, Y. (617) 151
Karhu, J., see Mäkelä, J.P. (617) 189
Katayama, T., Kohase, H. and Nakamura, Y.
Resetting of cortically induced rhythmical jaw movements by stimulation of the cerebellar interpositus nucleus in the guinea pig (617) 143
Kato, N. and Yoshimura, H.
Facilitatory effects of substance P on the susceptibility to long-term potentiation in the visual cortex of adult rats (617) 353
Katoh, Y.Y. and Deura, S.
Direct projections from the cerebellar fastigial nucleus to the thalamic suprageniculate nucleus in the cat studied with the anterograde and retrograde axonal transport of wheat germ agglutinin-horseradish peroxidase (617) 155
Kavaliers, M., see Saksida, L.M. (617) 214
Kerschbaum, H.H. and Hermann, A.
Calcium-binding proteins in the inner ear of *Xenopus laevis* (Daudin) (617) 43
Kishimoto, Y., see Terashima, T. (617) 1
Kobayashi, H., Mizuki, T., Tsutsui, M., Minami, K., Yanagihara, N., Yuhi, T. and Izumi, F.
Receptors for C-type natriuretic peptide in cultured rat glial cells (617) 163
Kobayashi, T., see Yoshimura, T. (617) 55
Kohase, H., see Katayama, T. (617) 143

Layer, R.T., Uretsky, N.J. and Wallace, L.J.
Effects of the AMPA/kainate receptor antagonist DNQX in the nucleus accumbens on drug-induced conditioned place preference (617) 267
Lee, I.Y., see Perry, D.C. (617) 296

Levesque, D. and Holtzman, S.G.
The potentiating effects of restraint stress and continuous naloxone infusion on the analgesic potency of morphine are additive (617) 176
Levine, J.D., see Chi, S.-I. (617) 225
Levine, J.D., see Chi, S.-I. (617) 225
Li, S.-J., Wang, Y., Strahlendorf, H.K. and Strahlendorf, J.C.
Serotonin alters an inwardly rectifying current (I_h) in rat cerebellar Purkinje cells under voltage clamp (617) 87
Liu, L., Pugh, W., Ma, H. and Simon, S.A.
Identification of acetylcholine receptors in adult rat trigeminal ganglion neurons (617) 37
Liu, S., see Lyeth, B.G. (617) 69
Loewy, A.D., see Jansen, A.S.P. (617) 103
Loo, D.D.F., see Hung, B.C.P. (617) 285
Lu, Y. and Rowland, N.E.
Increased feeding after treatment with fructose, but not glucose, antimetabolites in rats with dopamine-depleting brain lesions (617) 120
Lyeth, B.G., Liu, S. and Hamm, R.J.
Combined scopolamine and morphine treatment of traumatic brain injury in the rat (617) 69

Ma, H., see Liu, L. (617) 37
Mäkelä, J.P., Hari, R., Karhu, J., Salmelin, R. and Teräväinen, H.
Suppression of magnetic μ rhythm during parkinsonian tremor (617) 189
Mallory, M., see Masliah, E. (617) 258
Masliah, E., Mallory, M., DeTeresa, R., Alford, M. and Hansen, L.
Differing patterns of aberrant neuronal sprouting in Alzheimer's disease with and without Lewy bodies (617) 258
McCarty, D.R., see Sprouse, J.S. (617) 159
McCrea, K., see Sanderson, E.M. (617) 349
McDaniel, M.L., see Schmidt, R.E. (617) 343
McGinty, D.J., see Morairty, S.R. (617) 10
Ménard, D.P., see Van Rossum, D. (617) 249
Mendez, I., Elisevich, K. and Flumerfelt, B.A.
GABAergic synaptic interactions in the substantia nigra (617) 274
Miller, L.P., see Perry, D.C. (617) 296
Minami, K., see Kobayashi, H. (617) 163
Misu, Y., see Goshima, Y. (617) 167
Miyamae, T., see Goshima, Y. (617) 167
Mizuki, T., see Kobayashi, H. (617) 163
Monti-Bloch, L., Abudara, V. and Aguilera, P.
Effects of dopamine on type I chemoreceptor cells of the rat carotid body (617) 147
Morairty, S.R., Szymusiak, R., Thomson, D. and McGinty, D.J.
Selective increases in non-rapid eye movement sleep following whole body heating in rats (617) 10
Moss, R.L., see Rajendren, G. (617) 81
Mtui, E.P., see Ruggiero, D.A. (617) 17

Nakamura, S., see Goshima, Y. (617) 167
Nakamura, Y., see Katayama, T. (617) 143

Ochiishi, T., see Terashima, T. (617) 1
Ohno, K., see Goshima, Y. (617) 167
Okuda, Y., see Perry, D.C. (617) 296

Panchison, D., see Perry, D.C. (617) 296
Pearson, P.L., Ross, L.R. and Jacobson, C.D.
Differential down-regulation of estrogen receptor-like immunoreactivity by estradiol in the female Brazilian opossum brain (617) 171
Perry, D.C., Getz, R., Lee, I.Y., Panchison, D., Okuda, Y. and Miller, L.P.
Forebrain ischemia in the gerbil increases λ opiate binding in hippocampal mossy fibers (617) 296
Pompeiano, O., see Andre, P. (617) 28
Privat, A., see Cerruti, C. (617) 138
Pugh, W., see Liu, L. (617) 37

Quirion, R., see Van Rossum, D. (617) 249

Rajendren, G. and Moss, R.L.
The role of the medial nucleus of amygdala in the mating-induced enhancement of lordosis in female rats: the interaction with luteinizing hormone-releasing hormone neuronal system (617) 81
Ren, T., see Chang, S.L. (617) 123
Rhodes, C.H., see Gee, P. (617) 238
Rigor, B.M., see Schurr, A. (617) 76
Roques, B.P., see Derrien, M. (617) 181
Ross, L.R., see Pearson, P.L. (617) 171
Rowland, N.E., see Lu, Y. (617) 120
Ruggiero, D.A., Chau, L., Anwar, M., Mtui, E.P. and Golanov, E.V.
Effect of cervical vagotomy on catecholaminergic neurons in the cranial division of the parasympathetic nervous system (617) 17
Russo, V., see Werther, G.A. (617) 339

Saksida, L.M., Galea, L.A.M. and Kavaliers, M.
Predator-induced opioid and non-opioid mediated analgesia in young meadow voles: sex differences and developmental changes (617) 214
Salmelin, R., see Mäkelä, J.P. (617) 189
Sanderson, E.M., Drasdo, A.L., McCrea, K. and Wonnacott, S.
Upregulation of nicotinic receptors following continuous infusion of nicotine is brain-region-specific (617) 349
Schmidt, R.E., Dorsey, D.A., McDaniel, M.L. and Corbett, J.A.
Characterization of NADPH diaphorase activity in rat sympathetic autonomic ganglia — effect of diabetes and aging (617) 343
Schurr, A. and Rigor, B.M.
Quinolinate potentiates the neurotoxicity of excitatory amino acids in hypoxic neuronal tissue in vitro (617) 76
Si-Shun, Z., see Hempel, C.M.E. (617) 329
Simon, S.A., see Liu, L. (617) 37
Smith, D.A. and Dunwiddie, T.V.
Effects of bivalent cations on adenosine sensitivity in the rat hippocampal slice (617) 61
Somjen, G.G., see Herreras, O. (617) 194
Sprouse, J.S., McCarty, D.R. and Dudley, M.W.
Apparent regional differences in 5-HT_{1A} binding may reflect [^{3}H]8-OH-DPAT labeling of serotonin uptake sites (617) 159
Strahlendorf, H.K., see Li, S.-J. (617) 87
Strahlendorf, J.C., see Li, S.-J. (617) 87
Sugimoto, T., see Ichikawa, H. (617) 96
Szymusiak, R., see Morairty, S.R. (617) 10

Terashima, T., Kishimoto, Y. and Ochiishi, T.
Musculotopic organization of the facial nucleus of the reeler mutant mouse (617) 1
Teräväinen, H., see Mäkelä, J.P. (617) 189
Thomson, D., see Morairty, S.R. (617) 10
Tsutsui, M., see Kobayashi, H. (617) 163

Ueta, Y., see Jin, Y. (617) 151
Uretsky, N.J., see Layer, R.T. (617) 267

Van Rossum, D., Ménard, D.P. and Quirion, R.
Effect of guanine nucleotides and temperature on calcitonin gene-related peptide receptor binding sites in brain and peripheral tissues (617) 249

Wallace, L.J., see Layer, R.T. (617) 267
Wang, R.Y., see Edwards, E. (617) 113
Wang, Y., see Bauco, P. (617) 303
Wang, Y., see Li, S.-J. (617) 87
Watt, C.B. and Florack, V.J.
Double-label analyses of the coexistence of somatostatin with GABA and glycine in amacrine cells of the larval tiger salamander retina (617) 131
Werther, G.A., Cheesman, H. and Russo, V.
Olfactory bulb organ culture is supported by combined insulin-like growth factor-I and basic fibroblast growth factor (617) 339
White, S.R., see Andre, P. (617) 28
Wise, R.A., see Bauco, P. (617) 303
Wonnacott, S., see Sanderson, E.M. (617) 349
Wright, E.M., see Hung, B.C.P. (617) 285

Yamashita, H., see Jin, Y. (617) 151
Yanagihara, N., see Kobayashi, H. (617) 163
Yeomans, J.S. and Cochrane, K.A.
Collision-like interactions between acoustic and electrical signals that produce startle reflexes in reticular formation sites (617) 320
Yeomans, J.S., Hempel, C.M.E. and Chapman, C.A.

Axons and synapses mediating startle-like responses evoked by electrical stimulation of the reticular formation in rats: symmetric and asymmetric collision effects (617) 309
Yeomans, J.S., see Hempel, C.M.E. (617) 329
Yoshimura, H., see Kato, N. (617) 353
Yoshimura, T., Goda, S., Kobayashi, T. and Goto, I.
Involvement of protein kinase C in the proliferation of cultured Schwann cells (617) 55
Yuhi, T., see Kobayashi, H. (617) 163
Zadina, J.E., see Chang, S.L. (617) 123
Zirpel, L., Baldwin, D. and Graubard, K.
Nickel induces oscillatory behavior and enhanced synaptic and electrotonic transmission between stomatogastric neurons of *Panulirus interruptus* (617) 205